# Journal of Cell Science

Volume 102 1992

**Editors**

FIONA M. WATT
GARY BORISY
ROBERT JOHNSON
A. V. GRIMSTONE
HENRY HARRIS
DANIEL LOUVARD

**Editorial Board**

Anthony Bretscher (Ithaca)
David A. Cheresh (La Jolla)
Roland Douce (Grenoble)
William C. Earnshaw (Baltimore)
Benny Geiger (Rehovot)
David M. Glover (Dundee)
Bruno Goud (Paris)
Kathleen J. Green (Chicago)
Nobutaka Hirokawa (Tokyo)
Alan F. Horwitz (Urbana)
Colin Hughes (London)
Tim Hunt (South Mimms)
Jeremy S. Hyams (London)
Eric Karsenti (Heidelberg)
David P. Lane (Dundee)
Ron Laskey (Cambridge)
Clive Lloyd (Norwich)
Tony Magee (London)
Frank McKeon (Boston)
Timothy J. Mitchison (San Francisco)
W. James Nelson (Stanford)
Peter C. Newell (Oxford)
John Newport (La Jolla)
Nicos A. Nicola (Melbourne)
Erich A. Nigg (Lausanne)
Angelika A. Noegel (Munich)
Alan Rapraeger (Madison)
Anita B. Roberts (Bethesda)
Enrique Rodriguez-Boulan (New York)
Ulrich Scheer (Würzburg)
Erik S. Schweitzer (Los Angeles)
David L. Spector (Cold Spring Harbor)
Jean-Paul Thiery (Paris)
Rupert Timpl (Munich)
Shoichiro Tsukita (Okazaki)
Graham Warren (London)
Klaus Weber (Göttingen)
Kenneth M. Yamada (Bethesda)
Mitsuhiro Yanagida (Kyoto)

Published by The Company of Biologists Limited, Cambridge

Typeset, Printed and Published by
The Company of Biologists Limited,
Department of Zoology, University of Cambridge, Downing Street,
Cambridge CB2 3EJ
© The Company of Biologists Limited 1992

# Contents

Volume 102 1992

Commentary

**Ausio, J.**
Structure and dynamics of transcriptionally active chromatin 1-5

**Salomon, D., Ayalon, O., Patel-King, R., Hynes, R. O. and Geiger, B.**
Extrajunctional distribution of N-cadherin in cultured human endothelial cells 7-17

**Brown, K. D. and Binder, L. I.**
Identification of the intermediate filament-associated protein gyronemin as filamin: implications for a novel mechanism of cytoskeletal interaction 19-30

**Kouklis, P. D., Traub, P. and Georgatos, S. D.**
Involvement of the consensus sequence motif at coil 2b in the assembly and stability of vimentin filaments 31-41

**Krek, W., Marks, J., Schmitz, N., Nigg, E. A. and Simanis, V.**
Vertebrate $p34^{cdc2}$ phosphorylation site mutants: effects upon cell cycle progression in the fission yeast *Schizosaccharomyces pombe* 43-53

**Lorca, T., Labbé, J.-C., Devault, A., Fesquet, D., Strausfeld, U., Nilsson, J., Nygren, P.-A., Uhlen, M., Cavadore, J.-C. and Dorée, M.**
Cyclin A-cdc2 kinase does not trigger but delays cyclin degradation in interphase extracts of amphibian eggs 55-62

**Leibovici, M., Monod, G., Géraudie, J., Bravo, R. and Méchali, M.**
Nuclear distribution of PCNA during embryonic development in *Xenopus laevis*: a reinvestigation of early cell cycles 63-69

**Citterio, S., Sgorbati, S., Levi, M., Colombo, B. M. and Sparvoli, E.**
PCNA and total nuclear protein content as markers of cell proliferation in pea tissue 71-78

**Zhang, D. H., Wadsworth, P. and Hepler, P. K.**
Modulation of anaphase spindle microtubule structure in stamen hair cells of *Tradescantia* by calcium and related agents 79-89

**Kallajoki, M., Weber, K. and Osborn, M.**
Ability to organize microtubules in taxol-treated mitotic $PtK_2$ cells goes with the SPN antigen and not with the centrosome 91-102

**Prescott, A. R., Dowrick, P. G. and Warn, R. M.**
Stable and slow-turning-over microtubules characterize the processes of motile epithelial cells treated with scatter factor 103-112

**Redfern, C. P. F. and Todd, C.**
Retinoic acid receptor expression in human skin keratinocytes and dermal fibroblasts in vitro 113-121

**Harrison, R. A. P., Jacques, M. L., Minguez, M. L. P. and Miller, N. G. A.**
Behaviour of ejaculated spermatozoa from bull, boar and ram during thin-layer countercurrent partition in aqueous two-phase systems 123-132

**Wright, K. M., Davies, T. G. E., Steele, S. H., Leigh, R. A. and Oparka, K. J.**
Development of a probenecid-sensitive Lucifer Yellow transport system in vacuolating oat aleurone protoplasts 133-139

**Weintraub, H., Abramovici, A., Amichai, D., Eldar, T., Ben-Dor, L., Pentchev, P. G. and Hammel, I.**
Morphometric studies of pancreatic acinar granule formation in NCTR-Balb/c mice 141-147

**Pavan, A., Covelli, E., Pascale, M. C., Lucania, G., Bonatti, S., Pinto da Silva, P. and Torrisi, M. R.**
Dynamics of transmembrane proteins during Sindbis virus budding 149-155

**Soares, M. J., Souto-Padrón, T. and de Souza, W.**
Identification of a large pre-lysosomal compartment in the pathogenic protozoon *Trypanosoma cruzi* 157-167

**Thomopoulos, G. N., Neophytou, E. P., Alexiou, M., Vadolas, A., Limberi-Thomopoulos, S. and Derventzi, A.**
Structural and histochemical studies of Golgi complex differentiation in salivary gland cells during *Drosophila* development 169-184

Commentary

**Wollner, D. A. and Nelson, W. J.**
Establishing and maintaining epithelial cell polarity: roles of protein sorting, delivery and retention 185-190

**Komori, N., Usukura, J. and Matsumoto, H.**
Drosocrystallin, a major 52 kDa glycoprotein of the *Drosophila melanogaster* corneal lens: purification, biochemical characterization, and subcellular localization 191-201

**Faix, J., Gerisch, G. and Noegel, A. A.**
Overexpression of the csA cell adhesion molecule under its own cAMP-regulated promoter impairs morphogenesis in *Dictyostelium* 203-214

*Contents*

**Tucker, J. B., Paton, C. C., Richardson, G. P., Mogensen, M. M. and Russell, I. J.**
A cell surface-associated centrosomal layer of microtubule-organizing material in the inner pillar cell of the mouse cochlea 215-226

**Lee, G. and Rook, S. L.**
Expression of tau protein in non-neuronal cells: microtubule binding and stabilization 227-237

**Rennison, M. E., Handel, S. E., Wilde, C. J. and Burgoyne, R. D.**
Investigation of the role of microtubules in protein secretion from lactating mouse mammary epithelial cells 239-247

**Lindemann, C. B., Orlando, A. and Kanous, K. S.**
The flagellar beat of rat sperm is organized by the interaction of two functionally distinct populations of dynein bridges with a stable central axonemal partition 249-260

**Napier, R. M., Fowke, L. C., Hawes, C., Lewis, M. and Pelham, H. R. B.**
Immunological evidence that plants use both HDEL and KDEL for targeting proteins to the endoplasmic reticulum 261-271

**Vigers, G. P. A. and Lohka, M. J.**
Regulation of nuclear envelope precursor functions during cell division 273-284

**Leiss, D., Félix, M.-A. and Karsenti, E.**
Association of cyclin-bound $p34^{cdc2}$ with subcellular structures in *Xenopus* eggs 285-297

**Riparbelli, M. G. and Callaini, G.**
Distribution of a nuclear envelope antigen during the syncytial mitoses of the early *Drosophila* embryo as revealed by laser scanning confocal microscopy 299-305

**Macpherson, A. J. S., Mayall, T. P., Chester, K. A., Abbasi, A., Forgacs, I., Malcolm, A. D. B. and Peters, T. J.**
Mitochondrial gene expression in the human gastrointestinal tract 307-314

**Tingström, A., Heldin, C.-H. and Rubin, K.**
Regulation of fibroblast-mediated collagen gel contraction by platelet-derived growth factor, interleukin-1α and transforming growth factor-β1 315-322

**Minafra, S., Luparello, C., Pucci-Minafra, I., Sobel, M. E. and Garbisa, S.**
Adhesion of 8701-BC breast cancer cells to type V collagen and 67 kDa receptor 323-328

**Robey, H. L., Hiscott, P. S. and Grierson, I.**
Cytokeratins and retinal epithelial cell behaviour 329-340

**Beresford, J. N., Bennett, J. H., Devlin, C., Leboy, P. S. and Owen, M. E.**
Evidence for an inverse relationship between the differentiation of adipocytic and osteogenic cells in rat marrow stromal cell cultures 341-351

**Campbell, M. T., Dollin, A. E. and Adelson, D. L.**
Differential lectin binding to presumptive cortical cells of the wool follicle bulb 353-360

**Hayward, S. W., Del Buono, R., Deshpande, N. and Hall, P. A.**
A functional model of adult human prostate epithelium: the role of androgens and stroma in architectural organisation and the maintenance of differentiated secretory function 361-372

**Armstrong, M. T. and Armstrong, P. B.**
Mechanisms of epibolic tissue spreading analyzed in a model morphogenetic system: roles for cell migration and tissue contractility 373-385

Commentary

**Rieder, C. L. and Palazzo, R. E.**
Colcemid and the mitotic cycle 387-392

**Seino, H., Hisamoto, N., Uzawa, S., Sekiguchi, T. and Nishimoto, T.**
DNA-binding activity of RCC1 protein is not essential for coupling of mitosis with DNA replication 393-400

**Jordan, M. A., Thrower, D. and Wilson, L.**
Effects of vinblastine, podophyllotoxin and nocodazole on mitotic spindles: implications for the role of microtubule dynamics in mitosis 401-416

**Chandra, S., Ausserer, W. A. and Morrison, G. H.**
Subcellular imaging of calcium exchange in cultured cells with ion microscopy 417-425

**Beaulieu, J.-F.**
Differential expression of the VLA family of integrins along the crypt-villus axis in the human small intestine 427-436

**Berdichevsky, F., Gilbert, C., Shearer, M. and Taylor-Papadimitriou, J.**
Collagen-induced rapid morphogenesis of human mammary epithelial cells: the role of the $\alpha_2\beta_1$ integrin 437-446

**Ellis, I., Grey, A. M., Schor, A. M. and Schor, S. L.**
Antagonistic effects of TGF-β1 and MSF on fibroblast migration and hyaluronic acid synthesis: possible implications for dermal wound healing 447-456

**Kubiak, J. Z., Weber, M., Géraud, G. and Maro, B.**
Cell cycle modification during the transitions between meiotic M-phases in mouse oocytes 457-467

**Zachleder, V. and van den Ende, H.**
Cell cycle events in the green alga *Chlamydomonas eugametos* and their control by environmental factors 469-474

**Soyer-Gobillard, M.-O. and Geraud, M.-L.**
Nucleolus behaviour during the cell cycle of a primitive dinoflagellate eukaryote, *Prorocentrum micans* Ehr., seen by light microscopy and electron microscopy 475-485

**Naz, R. K., Ahmad, K. and Kaplan, P.**
Expression and function of *ras* proto-oncogene proteins in human sperm cells 487-494

**Soole, K. L., Hall, J., Jepson, M. A., Hazlewood, G. P., Gilbert, H. J. and Hirst, B. H.**
Constitutive secretion of a bacterial enzyme by polarized epithelial cells 495-504

**Kuismanen, E., Jäntti, J., Mäkiranta, V. and Sariola, M.**
Effect of caffeine on intracellular transport of Semliki Forest virus membrane glycoproteins 505-513

**Lawrence, B. P. and Brown, W. J.**
Autophagic vacuoles rapidly fuse with pre-existing lysosomes in cultured hepatocytes 515-526

**Dluzewski, A. R., Mitchell, G. H., Fryer, P. R., Griffiths, S., Wilson, R. J. M. and Gratzer, W. B.**
Origins of the parasitophorous vacuole membrane of the malaria parasite, *Plasmodium falciparum*, in human red blood cells 527-531

**Clarke, M. S. F. and McNeil, P. L.**
Syringe loading introduces macromolecules into living mammalian cell cytosol 533-541

**Baker, L. P., Chen, Q. and Peng, H. B.**
Induction of acetylcholine receptor clustering by native polystyrene beads: implication of an endogenous muscle-derived signalling system 543-555

**Harris, P. J. and Clason, E. L.**
Conditions for assembly of tubulin-based structures in unfertilized sea urchin eggs: spirals, monasters and cytasters 557-567

**Holley, M. C., Kalinec, F. and Kachar, B.**
Structure of the cortical cytoskeleton in mammalian outer hair cells 569-580

**Peterson, M. D. and Mooseker, M. S.**
Characterization of the enterocyte-like brush border cytoskeleton of the $C2_{BBe}$ clones of the human intestinal cell line, Caco-2 581-600

**Schweiger, A., Mihalache, O., Ecke, M. and Gerisch, G.**
Stage-specific tyrosine phosphorylation of actin in *Dictyostelium discoideum* cells 601-609

**Heath, I. B. and Harold, R. L.**
Actin has multiple roles in the formation and architecture of zoospores of the oomycetes, *Saprolegnia ferax* and *Achlya bisexualis* 611-627

**Yonemura, S. and Pollard, T. D.**
The localization of myosin I and myosin II in *Acanthamoeba* by fluorescence microscopy 629-642

**Swasdison, S. and Mayne, R.**
Formation of highly organized skeletal muscle fibers *in vitro*: comparison with muscle development *in vivo* 643-652

**Coulton, G. R., Rogers, B., Strutt, P., Skynner, M. J. and Watt, D. J.**
In situ localisation of single-stranded DNA breaks in nuclei of a subpopulation of cells within regeneratingskeletal muscle of the dystrophic mdx mouse 653-662

Commentary

**Althaus, F. R.**
Poly ADP-ribosylation: a histone shuttle mechanism in DNA excision repair 663-670

**Stone, J. S. and Cotanche, D. A.**
Synchronization of hair cell regeneration in the chick cochlea following noise damage 671-680

**Nicklas, R. B. and Arana, P.**
Evolution and the meaning of metaphase 681-690

**Wolniak, S. M. and Larsen, P. M.**
Changes in the metaphase transit times and the pattern of sister chromatid separation in stamen hair cells of *Tradescantia* after treatment with protein phosphatase inhibitors 691-715

**Perez, F., Joliot, A., Bloch-Gallego, E., Zahraoui, A., Triller, A. and Prochiantz, A.**
Antennapedia homeobox as a signal for the cellular internalization and nuclear addressing of a small exogenous peptide 717-722

**Chiplonkar, J. M., Vandré, D. D. and Robinson, J. M.**
Stimulus-dependent relocation of the microtubule organizing center in human polymorphonuclear leukocytes 723-728

**Gautier, T., Robert-Nicoud, M., Guilly, M.-N. and Hernandez-Verdun, D.**
Relocation of nucleolar proteins around chromosomes at mitosis: a study by confocal laser scanning microscope 729-737

**Cheley, S., Kosik, K. S., Paskevich, P., Bakalis, S. and Bayley, H.**
Phosphorylated baculovirus p10 is a heat-stable microtubule-associated protein associated with process formation in Sf9 cells 739-752

**Nuckolls, G. H., Romer, L. H. and Burridge, K.**
Microinjection of antibodies against talin inhibits the spreading and migration of fibroblasts 753-762

**Van Diujn, B. and Van Haastert, P. J. M.**
Independent control of locomotion and orientation during *Dictyostelium discoideum* chemotaxis 763-768

**Fürst, D. O., Vinkemeier, U. and Weber, K.**
Mammalian skeletal muscle C-protein: purification from bovine muscle, binding to titin and the characterization of a full-length human cDNA 769-778

**Morgan, J. E., Moore, S. E., Walsh, F. S. and Partridge, T. A.**
Formation of skeletal muscle *in vivo* from the mouse C2 cell line 779-787

**Murphy, S. J., Watt, D. J. and Jones, G. E.**
An evaluation of cell separation techniques in a model mixed cell population 789-798

**Griffin, E. F. and Harris, H.**
Total inhibition of involucrin synthesis by a novel two-step antisense procedure. Further examination of the relationship between differentiation and malignancy in hybrid cells 799-805

**Canfield, A. E., Wren, F. E., Schor, S. L., Grant, M. E. and Schor, A. M.**
Aortic endothelial cell heterogeneity in vitro: lack of association between morphological phenotype and collagen biosynthesis 807-814

**Pujades, C., Forsberg, E., Enrich, C. and Johansson, S.**
Changes in cell surface expression of fibronectin and fibronectin receptor during liver regeneration 815-820

**Klein, N. J., Shennan, G. I., Heyderman, R. S. and Levin, M.**
Alteration in glycosaminoglycan metabolism and surface charge on human umbilical vein endothelial cells induced by cytokines, endotoxin and neutrophils 821-832

**Underwood, P. A., Dalton, B. A., Steele, J. G., Bennett, F. A. and Strike, P.**
Anti-fibronectin antibodies that modify heparin binding and cell adhesion: evidence for a new cell binding site in the heparin binding region 833-845

**Melov, S., Vaughan, H. and Cotterill, S.**
Molecular characterisation of the gene for the 180 kDa subunit of the DNA polymerase-primase of *Drosophila melanogaster* 847-856

**Peter, M., Chavrier, P., Nigg, E. A. and Zerial, M.**
Isoprenylation of rab proteins on structurally distinct cysteine motifs 857-865

**Racoosin, E. L. and Swanson, J. A.**
M-CSF-induced macropinocytosis increases solute endocytosis but not receptor-mediated endocytosis in mouse macrophages 867-880

**Index of Authors and Titles** 881-884

**Subject Index** 885-892